

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 1/8

1 - IDENTIFICATION

GHS Product identifier:	BRIGHT STOCK 140 (PBS 30)
Other means of identification:	BST90M
Recommended use of the chemical:	Used in the manufacture of automotive, marine and railway lubricants, manufacture of industrial oils, lubricating greases and pharmaceutical products, such as mineral oil.
Specific restrictions on use:	There are not known restrictions on use.
Supplier`s details:	Acelen Address: ROD BA 523, KM 4, MATARIPE, CEP: 43900-000 - BA - Brasil. Phone number: (71) 3511-8000 / (11) 5225-8900
Emergency phone number:	EMERGENCIall: 0800 729 2756 / (11) 94759-7282 (Whatsapp) (24h)

2 - HAZARD IDENTIFICATION

Classification of the substance or mixture:	Acute Toxicity - Inhalation - Category 4.
Classification system adopted:	Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations.

GHS label elements, including precautionary statements

Pictograms:



Signal word:	WARNING
Hazard statement(s):	H332 Harmful if inhaled.
Precautionary statement(s):	PREVENTION: P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. RESPONSE TO EMERGENCY: P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P317 Get medical help.
Other hazards which do not result in classification:	The material has no other hazards.

3 - COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE	A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons with carbon numbers in the range C15 to C50.
Common chemical name:	Basic lubricant oil.
Common name(s), synonym(s) of the	Lubricants.

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 2/8

substance:

CAS: 74869-22-0

Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance: Does not contain components that contribute to the hazard.

4 - FIRST-AID MEASURES

Description of necessary first-aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If the victim feels unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.

Skin: Wash exposed skin with sufficient amount of water to remove the material. Take off and isolate contaminated clothing and shoes. In case of skin irritation: contact a doctor. Bring this document.

Eye: Wash carefully with water for several minutes. In case of use of contact lenses, remove them, if possible. Keep washing. If eyes irritation continues: Contact a doctor. Bring this document.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse the victims mouth with water in abundance. If the victim feels unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.

Most important symptoms/effects, acute and delayed: May cause mild skin irritation with redness. Harmful if inhaled.

Indication of immediate medical attention and special treatment needed, if necessary: Avoid contact with the material to help the victim. Keep victim warm and quiet. Symptomatic treatment should comprise mainly supportive measures such as correction of electrolyte disturbances, metabolic, and respiratory support. In case of skin contact do not rub the affected area.

5 - FIRE-FIGHTING MEASURES

Extinguishing media: Appropriate: carbon dioxide (CO₂), foam, water mist and powder.
Inappropriate: water jet directly.

Specific hazards arising from the chemical: Combustion of the material or its packaging can form irritating and toxic gases such as carbon monoxide and dioxide.
Vapors may be heavier than air and tend to accumulate in low or confined areas, such as sewers and basements. Containers may explode if heated.

Special protective actions for fire-fighters: Use self-contained breathing apparatus (SCBA) operated in positive pressure mode and complete protective clothing. Containers and tanks involved in the fire should be cooled with water mist.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Do not smoke. Avoid exposure to the material. If necessary, use personal protective equipment as described in Section 8.

For emergency responders: Wear complete PPE with safety glasses, safety gloves, suitable protective clothing and closed shoes. In case of leakage, where exposure is high, it is recommended to use a suitable respiratory protection mask.

Environmental: Avoid that the spilled material reaches waterways or sewage system.

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 3/8

precautions:

Methods and materials for containment and cleaning up: Use water mist or vapor suppressing foam to reduce the dispersion of vapors. Use natural barriers or spill containment. Collect spilled material and put it into containers. Adsorb the remaining material with dried sand, vermiculite or any other inert material. Put the adsorbed material in appropriate containers and remove them to a safe place. Use tools that do not cause sparks to collect absorbed material.

7 - HANDLING AND STORAGE

Precautions for safe handling

Precautions for safe handling: Handle in a well ventilated area or with general system of ventilation/local exhaust. Avoid vapors and mists formation. Avoid contact with incompatible materials.

General hygiene: Wash hands and face thoroughly after handling and before eating, drinking, smoking or going to the bathroom.

Conditions for safe storage, including any incompatibilities

Technical measures for prevention of fire and explosion: It is not expected that the material presents a fire or explosion hazard. Use personal protective equipment as described in Section 8.

Conditions for safe storage, including any incompatibilities: Store in a well ventilated place away from sunlight. Keep container closed. Keep away from high temperatures.
It is not necessary addition of stabilizers and antioxidants to ensure the durability.
Keep away from incompatible materials.

Packaging compatibilities: Similar to the original packaging.

Inadequate packaging materials: There are not known unsuitable material.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limit: Not established.

Biological limit: Not established.

Other limits and values: Not established.

Appropriate engineering controls: Provide ventilation combined with local exhaust, especially when product vapours/mists are formed. It is recommended to make emergency showers and eye wash facilities available in the work area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection: Wide-view glasses with splash protection.

Skin protection: Safety shoes and safety clothing to protect the whole body from chemical splashes. Protective gloves against chemicals such as PVC.

Respiratory protection: Use of respirator with filter against vapors and organic mists is recommended for average exposures above half the TLV-TWA. In cases where exposure exceeds 3 times the TLV-TWA value, use a self-contained, full facepiece, air-supplied respirator (SCBA) operated in positive pressure mode. Follow guidance from the Respiratory Protection Program (PPR), 4th ed. São Paulo: Fundacentro, 2016.

Thermal hazards: It does not present thermal hazards.

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 4/8

9 - PHYSICAL AND CHEMICAL PROPERTIES

Aspect:	Liquid, limpid.
Color:	Colorless to yellow.
Odour:	Odorless.
Melting point/freezing point:	0 °C (32 °F).
Boiling point or initial boiling point and boiling range:	341 to 665 °C (645.8 to 1229 °F).
Flammability:	Not flammable.
Lower and upper explosion limit/flammability limit:	Not available.
Flash point:	> 260 °C (500 °F) - Open cup.
Auto-ignition temperature:	> 360 °C (680 °F).
Decomposition temperature:	Not available.
pH:	Not applicable.
Kinematic viscosity:	243.6 mm ² /s at 40 °C (104 °F).
Solubility(ies):	Immiscible in water. Soluble in organic solvents.
Partition coefficient n-octanol/water (log value):	Not available.
Vapour pressure:	< 666.5 Pa at 25 °C (77 °F).
Relative vapour density:	Not available.
Density and/or relative density:	Absolute density: 886.3 kg/m ³ at 20 °C (68 °F).
Particle characteristics:	Not applicable.
Other information:	Volatile part: < 0.01% (w/w) at 25°C. Benzene content: <0.01% mass.

10 - STABILITY AND REACTIVITY

Reactivity:	Reactivity is not to be expected under normal conditions of temperature and pressure.
Chemical stability:	Stable product under normal conditions of temperature and pressure.
Possibility of hazardous reactions:	There are not known hazardous reactions with the material.
Conditions to avoid:	Elevated temperatures and contact with incompatible materials.
Incompatible material:	Oxidizing agents.
Hazardous	Light spirits and coke. In combustion, it can release irritating and toxic gases such as hydrogen

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 5/8

decomposition products: sulfide, carbon monoxide and carbon dioxide.

11 - TOXICOLOGICAL INFORMATION

Acute toxicity:	Product not classified as acute toxic by oral and dermal. Harmful if inhaled. LC ₅₀ Dusts and mists (rats, 4h): 2.18 mg/L. LD ₅₀ Oral (rats): > 5000 mg/kg. LD ₅₀ Dermal (rats): >2000 mg/kg.
Skin corrosion/irritation:	May cause mild skin irritation with redness.
Serious eye damage/irritation:	It is not expected to cause eye irritation.
Respiratory or skin sensitization:	It is not expected to present respiratory or skin sensitization.
Germ cell mutagenicity:	Not classified for germ cell mutagenicity. In vitro studies have shown that the product has no mutagenic potential.
Carcinogenicity:	Not classified for carcinogenicity. According to IPIECA, the IP 346 test results have a strong correlation with the results of epidermal carcinogenicity bioassays. Petroleum substances that show as a result for IP 346 < 3% DMSO (w/w) are not carcinogenic to the skin. Extract in DMSO (IP 346) of 1.6 wt%.
Reproductive toxicity:	Not classified for reproductive toxicity. A study carried out in rats showed that the product has no toxic potential for reproduction.
STOT - Single exposure:	It is not expected to exhibit specific target organ toxicity by single exposure.
STOT - Repeated exposure:	It is not expected to exhibit specific target organ toxicity on repeated exposure.
Aspiration hazard:	Not classified for aspiration hazard. The kinematic viscosity is greater than 20.5 cSt at 40°C.

12 - ECOLOGICAL INFORMATION

Toxicity:	It is not expected to be ecotoxic. LC ₅₀ (<i>Pimephales promelas</i> , 96 h): > 100 mg/L; EC ₅₀ (<i>Daphnia magna</i> , 48 h): > 100 mg/L.
Persistence and degradability:	It has persistence and is not considered rapidly degradable. Degradability rate: 31% in 28 days.
Bioaccumulative potential:	Due to the lack of data, bioaccumulative potential in aquatic organisms is not expected.
Mobility in soil:	Low mobility in soil is expected.
Other adverse effects:	The release of large amounts of product can cause undesirable environmental effects, such as the reduction of oxygen availability in aquatic environments due to the formation of an oily layer on the surface, coating and consequent suffocation of animals. The release of large amounts can cause undesirable environmental effects, such as the decrease in oxygen availability in aquatic environments due to the formation of an oily layer on the surface, coating and consequent suffocation of animals.

13 - DISPOSAL CONSIDERATIONS

Disposal methods

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 6/8

Must be disposed of as hazardous waste in compliance with local regulations. The treatment and disposal should be evaluated for each specific product.
Keep the product remains in its original and properly closed containers. Disposal should be performed as established for the product.

14 - TRANSPORT INFORMATION

Road:	UN - United Nations: Model Regulations: • Recommendations on the Transport of Dangerous Goods.
UN number:	Not classified as hazardous for the road transportation.
Environmental hazards:	The product is not considered dangerous for the environment for land transport.
Railway regulations:	COTIF - Convention concerning International Carriage by Rail: • Appendix C: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail.
UN number:	Not classified as dangerous for rail transport.
Environmental hazards:	The product is not considered dangerous for the environment in rail transport.
Sea:	IMO - International Maritime Organization: • IMDG Code - International Maritime Dangerous Goods Code.
UN number:	Not classified as hazardous for water transportation.
Environmental hazards:	It's not considered a marine pollutant for transportation.
Air:	IATA - International Air Transport Association: • DGR - Dangerous Goods Regulation.
UN number:	Not classified as dangerous for air transport.
Environmental hazards:	The product is not considered dangerous for the environment for air transport.
Special precautions for user:	Not applicable.
Maritime transport in bulk according to IMO instruments:	Consult regulations: • International Maritime Organization: MARPOL: Articles, protocols, annexes, unified interpretations of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 relating thereto, consolidated edition. IMO, London, 2006; • International Maritime Organization: IBC code: International code for the construction and equipment of shipping carrying dangerous chemicals in bulk: With Standards and guidelines relevant to the code. IMO, London, 2007.

15 - REGULATORY INFORMATION

Convention concerning Safety in the use of Chemicals at Work (Convention 170) - International Labour Organization, 1990.

16 - OTHER INFORMATION

This SDS was prepared based on current knowledge about the proper product handling and under normal conditions of use, in accordance with the application specified on the packaging. Any other use of the product involving their combination with other materials, and use various forms of those indicated, are the responsibility of the user. Warns that the handling of any chemical substance requires the prior knowledge of its hazards for the user. In the workplace it is for the user company's product

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 7/8

promotes training of its collaborators about the possible risks arising from exposure to the chemical.

Change control:

Version	Manufacture date	Changes
01	03/22/2023	Elaboration

Abbreviations:

ACGIH - American Conference of Governmental Industrial Hygienists;
 CAS - Chemical Abstracts Service;
 EC - European Community;
 EC₅₀ - Effective concentration of substance that causes 50 % of the maximum response;
 EEC - European Economic Community;
 IARC - International Agency for Research on Cancer;
 LC₅₀ - Lethal Concentration 50%;
 LD₅₀ - Lethal Dose 50%;
 NIOSH - National Institute for Occupational Safety and Health;
 TLV - Threshold Limit Value;
 TWA - Time Weighted Average.

Bibliographic references:

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®). Cincinnati-USA, 2023.

ECHA - EUROPEAN CHEMICAL AGENCY. Available at: < <http://echa.europa.eu/web/guest> >. Access in: Mar. 2023.

GESTIS - SUBSTANCE DATABASE. Available at: < [http://gestis-en.itrust.de/nxt/gateway.dll/gestis_en/000000.xml?f=templates\\$fn=default.htm\\$3.0](http://gestis-en.itrust.de/nxt/gateway.dll/gestis_en/000000.xml?f=templates$fn=default.htm$3.0) >. Access in: Mar. 2023.

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS. 10th rev. ed. New York and Geneva: United Nations, 2023.

HSDB - HAZARDOUS SUBSTANCES DATA BANK. Available at: <http://pubchem.ncbi.nlm.nih.gov/>. Access in: Mar. 2023.

IARC - INTERNATIONAL AGENCY FOR RESEARCH ON CANCER. Available at: <http://monographs.iarc.fr/ENG/Classification/index.php>. Access in: Mar. 2023.

IPCS - INTERNATIONAL PROGRAMME ON CHEMICAL SAFETY - INCHEM. Available at: <http://www.inchem.org/>. Access in: Mar. 2023.

IUCLID - INTERNATIONAL UNIFORM CHEMICAL INFORMATION DATABASE. [S.1.]: European chemical Bureau. Available at: <http://ecb.jrc.ec.europa.eu>. Access in: Mar. 2023.

NIOSH - NATIONAL INSTITUTE OF OCCUPATIONAL AND SAFETY. International Chemical Safety Cards. Available at: <http://www.cdc.gov/niosh/>. Access in: Mar. 2023.

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available at: < <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:353:0001:1355:en:PDF> >. Access in: Mar. 2023.

In accordance with Globally Harmonized System of
Classification and Labelling of Chemicals (GHS)- Chapter 1.5
and Annex 4

SAFETY DATA SHEET

Product: BRIGHT STOCK 140 (PBS 30)

Revision: 01

Date: 06/13/2024

Pages: 8/8

TOXNET - TOXICOLOGY DATA NETWORKING. ChemIDplus Lite. Available at: <http://chem.sis.nlm.nih.gov/>. Access in: Mar. 2023.